


SWEET BARS

WOW

SWEET BARS

Is there anything better than being surrounded by niceness?

Chic matt colours, fresh and vibrant translucents, earthy organic clays, rich deep minerals or even altogether fused in harmony

Flavour your day and nourish your senses!

-

¿Hay algo mejor que estar rodeado de belleza?

Colores chic, frescos y brillantes translúcidos ,colores mate, arcillas y minerales de tonos intensos o la armoniosa fusión de todos ellos.

Saborea tu día y nutre tus sentidos!



01.
SIZES, COLOURS AND FINISHES / *pag. 6*
FORMATOS, COLORES Y ACABADOS

02.
GET INSPIRED / *pag.18*
INSPÍRATE

03.
PACKING *pag. 40*

04.
PRICE CODE *pag. 41*
CÓDIGO DE TARIFA

05.
TECHNICAL FEATURES / *pag. 42*
CARACTERÍSTICAS TÉCNICAS

06.
TECHNICAL DRAWINGS / *pag. 44*
DIBUJOS TÉCNICOS

07.
RECOMMENDATIONS / *pag. 45*
RECOMENDACIONES




SB
11,6x23,3 cm / 4.6"x9.2"

P W34 (Matt & White Gloss)
W43 (Gloss)




SB White Gloss



SB Turques Gloss




SB Honey Gloss



SB Olive Gloss



SB Teal Gloss




SB Indigo Gloss



SB Biscuit Matt



SB Tan Matt



SB Tan Matt
SB Turques Gloss



SB Turques Gloss

Floor Tiles: **Roots S**
Turques Gloss & Cotto

SB
12,5x25 cm / 5"x10"

W $ W34




SB White Matt




SB Sand Matt




SB Grey Matt




SB Blush Matt




SB Sage Matt



SB Teal Matt



SB Berry Matt



SB Grey Matt
SB White Matt



SB Grey Matt
SB White Matt

Floor Tiles: Contempo Strip Natural
(**Love Affairs Collection**)

SB
12,5x25 cm / 5"x10"

W $ W34




SB Deep White




SB Greige




SB Mineral Grey



SB Coral




SB Fern




SB Royal Green



SB Peacock Blue




SB Ebony



SB Coral
SB Deep White



SB Coral
Fayenza Square Coral



SB Ebony
Fayenza Square Ebony

◂ **SB** Blush Matt

Floor Tiles: **Solid** Chalk S & Basalt XS



SB Sage Matt
Grace Sage Matt

SB Greige ▸
Fayenza Greige

Floor Tiles: **Bejmat Square** Tan Matt



SB Indigo Gloss

◄ **SB** Grey Matt

Floor Tiles: Contempo Strip Oak
(**Love Affairs Collection**)

SB Sand Matt ▸
Grace Sand Matt



SB Biscuit Matt

SB Tan Matt ▸
SB Teal Gloss



DB Deep White

◂ **SB** Teal Matt
Floor Tiles: **Color Drops** Off White



SB Berry Matt

SB Mineral Grey ▸

Floor Tiles: Concrete Strip Ash Grey
(**Love Affairs Collection**)



SB Fern ▸



SB Honey Gloss

Floor Tiles: **Bejmat** Square Tan

◀ **SB** Peacock Blue

Floor Tiles: **Tesserae** Play Blanc




SB White Gloss



SB Olive Gloss

HOW TO CREATE ROUNDED CORNERS



◂ **SB** Royal Green
Fayenza Square Royal Green

			KG	M2		M2
Modelo	Formato (cm)	Piezas / Caja	Kg / Caja	m2 / Caja	Cajas / Palet	m2 / Palet
SB (PORCELAIN BODY)	11,6X23,3 cm	15	9,07 kg	0,405 m^2	95	38,475 m^2
SB (WHITE BODY)	12,5x25 cm	14	7,25 kg	0,438 m^2	138	60,444 m^2

			LB	FT2		FT2
Model	Format (in)	Pieces / Box	Lb/ box	sq ft / Box	Boxes / Pallet	sq ft / Pallet
SB (PORCELAIN BODY)	4.6"x9.2"	15	20.00 lb	4.359 ft^2	95	414.105 ft^2
SB (WHITE BODY)	5"x10"	14	15.98 lb	4.715 ft^2	138	650.67 ft^2

Price code - Código de tarifa

MODEL / MODELO	PRICE CODE / CODIGO TARIFA
SB BISCUIT MATT	W34
SB TAN MATT	W34
SB WHITE GLOSS	W34
SB TURQUES GLOSS	W43
SB HONEY GLOSS	W43
SB OLIVE GLOSS	W43
SB TEAL GLOSS	W43
SB INDIGO GLOSS	W43
SB WHITE MATT	W34
SB SAND MATT	W34
SB GREY MATT	W34
SB BLUSH MATT	W34
SB SAGE MATT	W34
SB TEAL MATT	W34
SB BERRY MATT	W34
SB DEEP WHITE	W34
SB GREIGE	W34
SB MINERAL GREY	W34
SB CORAL	W34
SB FERN	W34
SB ROYAL GREEN	W34
SB PEACOCK BLUE	W34
SB EBONY	W34


Porcelain tiles whith water absorption B Ia ≤ 0,5% for interior and exterior floors and walls.
Baldosas cerámicas prensadas en seco con absorción de agua B Ia ≤ 0,5% para suelos y paredes interiores y exteriores.

FEATURES / CARACTERÍSTICAS	SPECIFICATION / ESPECIFICACIÓN	NORMA
Dimensional Features	116 mm +/- 0,6% x 233 mm +/- 0,6% x 8,5mm +/- 5%	UNE-EN ISO 10545-2:1998
Water absorption	≤ 0,5%	UNE-EN ISO 10545-3:1997
Modulus of rupture and breaking strength	Minimum 35 N/mm² Individual Minimum 32 N/mm²	UNE-EN ISO 10545-4:2012
Crazing resistance	Pass	UNE-EN ISO 10545-11:1997
Household products resistance	GA	UNE-EN ISO 10545-13:1998
Chemical resistance	GHA (Matt & White Gloss) GLB (Gloss) GHB (Gloss)	UNE-EN ISO 10545-13:1998
Stain resistance	5	UNE-EN ISO 10545-14:1998
Porcelain Body	-	


Technical features for Dry-Pressed ceramic tiles with water absorption BIII (Eb >10%)
Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII (Eb >10%)

FEATURES / CARACTERÍSTICAS	SPECIFICATION / ESPECIFICACIÓN	NORMA
Dimensional Features	125 mm +/- 0,75 mm x 250 mm +/- 0,75mm	UNE-EN ISO 10545-2:1998
Water absorption	>10%	UNE-EN ISO 10545-3:1997
Modulus of rupture and breaking strength	Thickness ≥ 7,5 mm mínimo 12 N/mm² Thickness < 7,5 mm mínimo 15 N/mm²	UNE-EN ISO 10545-4:2012
Crazing resistance	Pass	UNE-EN ISO 10545-11:1997
Household products resistance	GA	UNE-EN ISO 10545-13:1998
Chemical resistance	GHA	UNE-EN ISO 10545-13:1998
Stain resistance	5	UNE-EN ISO 10545-14:1998
White Body	-	

Porcelain Body



Ceramic Tiles (white body)



WARNING! ¡ATENCIÓN!
The size of the piece may vary depending on the colour. We do not recommend using compositions that mix different colours.
El tamaño de la pieza puede variar dependiendo del color. No recomendamos utilizar composiciones que mezclen diferentes colores.

WAREHOUSING
In order to guarantee the characteristics of the finish the product must be kept in its original packaging until the time of fixing. If the product is likely to be stored for a long period of time it should be suitably covered.

TILE FIXING
To ensure the products adhere correctly to the surface, it is essential to use specific adhesive and grouting material. This must also be suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

Due to the nature of the material there may be dimensional variations between pieces. Therefore , all types of joints must be planned and carried out correctly: structural, perimeter, expansion and installation joints. Fitting tiles without joints is not advisable from any technical point of view as this may lead to various problems. For an optimal result we advise to use 1,5 mm (0.06") grout.

MAINTENANCE AND CLEANING
Once the materials have been fitted, it is advisable to remove any remaining adhesive and grouting material by using a commercial descaling product designed especially, diluted with water . The descaling product must not remain in contact with the surface to be cleaned for more than 5 minutes.

As a general guideline, powder dertergents should not be used, not wire wool or abrasive materials. Generally a sponge will be sufficient with warm water and liquid neutral soap. Then rinse with plenty of clean water.

WARNING!
Due to the glaze specifications of colours: SB Turques Gloss, SB Honey Gloss, SB Olive Gloss, SB Teal Gloss and SB Indigo Gloss; It is strongly recommended to avoid using these products on kitchen countertops or any other surface where the tiles might be in contact with food.

ALMACENAMIENTO
Para garantizar las características de su acabado, el producto debe mantenerse en su embalaje original hasta el momento de la colocación. Si el producto va a permanecer almacenado durante un largo periodo es conveniente hacerlo bajo cubierta.

COLOCACIÓN
Para garantizar una buena adhesión al soporte es necesaria la utilización de materiales de agarre y de rejuntado adecuados al ambiente al que vayan a estar sometidos. La colocación con morteros tradicionales no garantiza una buena adhesión.

Debido a la naturaleza del material pueden existir diferencias dimensionales entre piezas. Por ello deberán planificarse y ejecutarse correctamente todo tipo de juntas: estructurales, perimetrales, de dilatación y de colocación. La colocación sin juntas es desaconsejable desde cualquier punto de vista técnico, pudiendo ser el origen de diversas patologías. Para un resultado óptimo recomendamos usar 1,5 mm de junta.

MANTENIMIENTO Y LIMPIEZA
Finalizada la puesta en obra se recomienda eliminar los restos de materiales de agarre y rejuntado con un desincrustante comercial diseñado expresamente para baldosas cerámicas, rebajado con agua, permaneciendo en contacto con la superficie a limpiar no más de 5 minutos.

Como norma general no deben utilizarse detergentes en polvo ni estropajos metálicos o abrasivos. Generalmente será suficiente con una esponja, agua tibia y un jabón líquido neutro. Posteriormente aclarar con abundante agua limpia.

¡ATENCIÓN!
Debido a las características de los colores SB Turques Gloss, SB Honey Gloss, SB Olive Gloss, SB Teal Gloss and SB Indigo Gloss; se recomienda encarecidamente evitar el uso de estos productos en encimeras de cocina o cualquier otra superficie donde los azulejos toquen directamente los alimentos.

Designed by

Polígono Pont, Avda. de España 114
12180 Cabanes,
Castellón (Spain)
t. +34 964 331 910 / f. +34 964 331 911

wowdesigneu.com
comercial@wowdesigneu.com

©2022 Tendencias Cerámicas
WOW, registered trademark of Tendencias Cerámicas, S.L.


The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

©2022 Tendencias Cerámicas
WOW, marca registrada por Tendencias Cerámicas, S.L.

La utlización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.
The colour of the pieces displayed herein may differ slightly from originals.
The settings shown in this catalogue are design proposals for advertising purposes.
In real situations in wich the pieces are laid, the installation instructions published by WOW should be followed.

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.
Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.
Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario,
debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.



WOW

wowdesigneu.com